UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/998,848	11/15/2001	Kenneth Y. Ogami	CYPR-CD01177M	6884
7590 02/22/2008 WAGNER, MURABITO & HAO LLP Two North Market Street, Third Floor			EXAMINER	
			VO, TED T	
San Jose, CA 95113			ART UNIT	PAPER NUMBER
			2191	
			MAIL DATE	DELIVERY MODE
			02/22/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)
	09/998,848	OGAMI, KENNETH Y.
Office Action Summary	Examiner	Art Unit
	TED T. VO	2191
The MAILING DATE of this communication ap Period for Reply	opears on the cover sheet with the	correspondence address
A SHORTENED STATUTORY PERIOD FOR REPI WHICHEVER IS LONGER, FROM THE MAILING I - Extensions of time may be available under the provisions of 37 CFR 1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statu Any reply received by the Office later than three months after the maili earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATIO .136(a). In no event, however, may a reply be to d will apply and will expire SIX (6) MONTHS fror te, cause the application to become ABANDON	N. imely filed in the mailing date of this communication. ED (35 U.S.C. § 133).
Status		
Responsive to communication(s) filed on 10/3 2a) This action is FINAL . 2b) Th 3) Since this application is in condition for allowed closed in accordance with the practice under	is action is non-final. ance except for formal matters, pr	
Disposition of Claims		
4) ☐ Claim(s) 1-14 and 16-36 is/are pending in the 4a) Of the above claim(s) is/are withdra 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-14 and 16-36 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/	awn from consideration.	
 9) The specification is objected to by the Examin 10) The drawing(s) filed on is/are: a) ac Applicant may not request that any objection to the Replacement drawing sheet(s) including the corre 11) The oath or declaration is objected to by the E 	ccepted or b) objected to by the e drawing(s) be held in abeyance. So ction is required if the drawing(s) is old	ee 37 CFR 1.85(a). ojected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for foreig a) All b) Some * c) None of: 1. Certified copies of the priority documer 2. Certified copies of the priority documer 3. Copies of the certified copies of the priority application from the International Burea * See the attached detailed Office action for a list	nts have been received. nts have been received in Applica ority documents have been receiv au (PCT Rule 17.2(a)).	tion No ved in this National Stage
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summar Paper No(s)/Mail [5) Notice of Informal 6) Other:	Date

Application/Control Number: 09/998,848 Page 2

1. This action is in response to the amendment filed on 10/31/2007.

Claims 1-14, 16-36 are pending in this application.

Response to Arguments

2. Applicants' arguments in the Remarks section filed on 10/31/2007 have been respectfully considered.

Regarding the filing under rule CFR 1.132, the submitted affidavit or declaration for swearing behind the Bindra's reference fails to provide due diligence. It fails to overcome a statutory bar reference. It should be noted that Bindra reference had been known for more than a year from the filing date of this reference; it is a statutory bar. As noted in the Bindra reference, this design tool has been launched and used in publics since 09/1999, which is far from the filing date of this application. It appears the reference of Bindra discloses the tool, "PSoC Design", that provides a user who uses the tool to design a circuit. It appears that each of virtual blocks created by a user is mapped to an executable module that represents the virtual block function. It appears that the whole circuit in the PSoC design can be converted automatically into an execution program by using a click on a certain icon. See p. 2, third paragraph. See the statement in p. 11,

4. The PSoC Designer is an integral part of the Windows-based development process. Its device editor employs a graphical interface to <u>connect user modules</u>, <u>which are next mapped onto the SoCblocs on-chip</u>. Finally, the user selects the pin assignments.

Thus, Bindra discloses directly the specification of this application, and teaches more details than the generic functionality of the claim 1, "automatically constructing source code comprising configuration information for a programmable block of said microcontroller corresponding to said virtual block wherein said configuration information is used to cause said programmable block to implement said function"...

Although the reference has been already mentioned with, "connect user modules, which are next mapped onto the SoCblocs on-chip", Applicant has remained arguing this tool does not show "automatically constructing source code". The argument appears as it requires the same language of the claim. For this reason, it is reasonable to apply 103(a) because the language of the reference is obvious to suggest the terminological differences of the claimed language; and thus, any ordinarily in the art for the reason to be enablement of a design, each virtual block and the circuit in the tool, shown by Bindra in p. 11, must automatically construct source code for the circuit and the programmable blocks so that it corresponds to block functions and circuit function. Otherwise, the tool "PSoC Designer" cannot not work.

Application/Control Number: 09/998,848 Page 4

Art Unit: 2191

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

A person shall be entitled to a patent unless –

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claim 1-14, 16-36 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bindra, "Programmable SoC Delivers A New Level Of System Flexibility", 2000, in view of Hamblen, "Rapid Prototyping using Field Programmable logic Devices", 6-2000.

Given the broadest reasonable interpretation of followed claims in light of the specification.

As per Claim 26: Bindra discloses a PSoC Designer that is used to configure and construct code for a microcontroller; the disclosure covers the limitations,

A computer system comprising a processor coupled to a bus, a display device coupled to said bus, and a memory coupled to said bus, said memory containing instructions to implement a method for configuring a microcontroller, said method comprising:

Art Unit: 2191

displaying a collection of virtual blocks in a design system with each virtual block in said collection corresponding to a programmable block in said microcontroller (Bindra: P.11, Figure 4, the system in the Figure 4 displays a collection of virtual blocks);

receiving a selection of a user module defining a function (Bindra: Figure 4: "User Modules Selected for Placement": e.g. the system of Figure 4 receives the selection of a user from selecting circuit block icons in the right top section. The selection of circuit block icons is implemented in a combination shown within the right bottom section);

assigning a virtual block taken from said collection to said user module (Figure 4, Each block in the circuit in the right bottom section in Figure 4 could be assigned in this section from selection of "User Modules" in the right top section; configuration information and connection are assigned by dialog section in the left section and the buttons given in the top rows of the PSoC Designer Tool); and

For the limitation, <u>automatically constructing</u> assembly code holding configuration information for a programmable block corresponding to said virtual block to perform said function", Bindra implicitly discloses Figure 4 and its below illustration "device editor employs a graphical interface to connect <u>user modules</u>, which are next <u>mapped</u> onto the SoCblocks onchip.

The user module = assembly code holding configuration information. For 'configuration information', refer to "Global Resources" and "Placement parameters" in the left section of Figure 4. i.e.,

Art Unit: 2191

Bindra does not explicitly address the claimed statement, "<u>automatically constructing</u> source code".

However, Hamblen shows a programmable on chip design process (p. 36, Figure 11) using a CAD tool that takes design virtual blocks and constructs source code. The source code in form assemble or machine language that is automatically generated by a C compiler to mapped on to the Virtual blocks designed from the CAD tool (See Figure 1: VHDL Design entity (i.e. Virtual blocks) connected with automatically generated code generated by a C Compiler, mapped to virtual blocks at gate levels in the CAD tool) for teaching: "automatically constructing source code comprising configuration information for a programmable block of said microcontroller corresponding to said virtual block wherein said configuration information is used to cause said programmable block to implement said function".

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to know that, for an enablement, it requires every module in the PSoC Designer discussed by Bindra is automatically generated into executable "code", and automatically connected to a corresponding virtual block when a circuit is built in the system by a PSoc Designer, shown by Bindra. It is obvious because, in order to present a functionality of a circuit, a user can manually program a circuit in an assembly program (i.e. a source code that represents for a circuit); but it will take days for him to do so. For conforming to the availability of source code generation, the C compiler is available for use at that time, thus it will generate automatically into assemble code and/or machine code for manual acts, as shown by Hamblen in Figure 11.

(Note, the Tutorial Revision 1.0, "PSoC Designer: Integrated Development Environment", 7-2001 admitted that any circuitry of virtual blocks built in the PSoC Designer, the code representing to each virtual block is automatically connected — i.e. for enablement, the virtual blocks, shown as statutory barred diagram by Bindra, must be automatically constructed with assembly code so that the circuits result functionality. This is similarly as an admitted prior art).

As per Claim 27: Regarding limitation, "The computer system of Claim 26, wherein said collection is displayed as a two dimensional array", see collection in the right bottom section of Figure 4.

As per Claim 28: Regarding limitation, *The computer system of Claim 26, wherein said* assigning further comprises assigning a second virtual block to said user module, it is either one of other blocks shown the right bottom section of Figure 4.

As per Claim 29: Regarding limitation, *The computer system of Claim 26, wherein said* assembly code further comprises a symbolic name for a register address in said programmable block, it is the code generated by the PSoC Design to the collection shown in the right bottom section of Figure 4, where the symbolic name for a register address is done by register mapping as addressed above.

As per Claim 30: Regarding limitation, *The computer system of claim 26 wherein said symbolic name is derived from said function*, it is functionalized to a circuit element, and based on pins assignment to the user module.

Art Unit: 2191

As per Claim 1: See the rationale addressed in Claim 26.

As per Claim 2: Bindra further discloses,

The method of Claim 1, wherein said function comprises a pulse width modulator (Bindra: See Figure 4, refer to "User Module" that represents various Digital functions, and see P.2 line 36, "PWMs").

As per Claim 3: Bindra further discloses, *The method of Claim 1, wherein said function comprises a timer*. (Bindra: See Figure 4, refer to "User Module" that represents various Digital functions, and see P.2 line 36, "*timers*").

As per Claim 4: Bindra further discloses, *The method of Claim 1, wherein said function comprises an analog-to-digital converter* (Bindra: See Figure 4, refer to "User Module" that represents various Digital functions, and see P.2 line 35, "ADCs").

As per Claim 5: Bindra further discloses, *The method of Claim 1, wherein said function* comprises a digital-to-analog converter (Bindra: See Figure 4, refer to "User Module" that represents various Digital functions, and see P.2 line 35 "DACs").

As per Claim 6: Bindra further discloses, *The method of Claim 1, wherein said function comprises a counter* (Bindra: See Figure 4, refer to "User Module" that represents various Digital functions, and see P.2 line 36 "counters").

As per Claim 7: Bindra further discloses, *The method of Claim 1, wherein said function comprises a signal amplifier*. (See Figure 4, refer to "User Module" that represents various Digital functions, and see P.2 line 33 "differential amplifiers").

As per Claim 8: Bindra further discloses, *The method of Claim 1, wherein said function provides* serial communication. (See Figure 4, refer to "User Module" that represents various Digital functions, and see P.3, line 9, "serial transmitters/receivers").

As per Claim 9: Bindra further discloses, *The method of Claim 1, wherein said collection is displayed as a two dimensional array of programmable analog virtual blocks and programmable digital virtual blocks.* (See collections in the right bottom section, which is *two-dimensional array*).

As per Claim 10: Bindra further discloses, *The method of Claim 1, wherein said assigning* further comprises assigning a second virtual block to said user module (See collections in the right bottom section, which is two dimensional array).

As per Claim 11: Bindra further discloses, *The method of Claim 1, wherein said source code comprises a symbolic name for a register address in said programmable block.* (Bindra: See page 2, lines 12-17 ('register space that holds the configuration information').

As per Claim 12: Bindra further discloses, *The method of Claim 11 wherein said symbolic name* is derived from said function. (See Bindra 'User module" in Figure 4, where user module represents a circuit element. Each circuit element is a symbolic name function: e.g.: ADC, DAC, Timer, Counter, etc).

As per Claim 13: See the rationale addressed in Claim 26.

As per Claim 14: Regarding,

"The method of Claim 13, wherein said automatically constructing further comprises:

computing a register address for a register within said programmable block; determining a symbolic name for said register address, said symbolic name corresponding to said user module and said circuit design; and substituting said symbolic name for a generic name in said template assembly code". See page 2, lines 12-17 ('register space that holds the configuration information') and page 6, lines 7-13, ('user modules are selected, pins are assigned, and register mapping are establish');

- computing a register address for a register within said programmable block: page 6, lines 7-13, referring "register mapping"
- determining a symbolic name for said register address, said symbolic name corresponding to said user module and said circuit design: page 2, lines 12-17, referring "holds the configuration information".
- substituting said symbolic name for a generic name in said template assembly code: referring the code construction performed by the PSoC Designer.

As per Claim 16: regarding limitations of Claim 16.

See page 2, lines 12-17 ('register space that holds the configuration information') and page 6, lines 7-13, ('user modules are selected, pins are assigned, and register mapping are establish') for

- determining a symbolic name corresponding to said user module and said circuit design; referring "holds the configuration information".
- computing a register address for a register within said programmable block; referring "register mapping"

- assigning said symbolic name to said register address; and placing said symbolic name into said assembly code in place of a generic name provided in said template assembly code file: referring the code construction performed by the PSoC Designer.

As per Claim 17: See rationale addressed in the rejection of Claim 26 above.

As per Claim 18: See rationale addressed in the rejection of Claim 14 above.

As per Claim 19: See rationale addressed in the rejection of Claim 14 above.

As per Claim 20: See rationale addressed in the rejection of Claim 16 above.

As per Claim 21: See rationale addressed in the rejection of Claim 26 above.

As per Claim 22: See rationale addressed in the rejection of Claim 14 above.

As per Claim 23: See rationale addressed in the rejection of Claim 14 above.

As per Claim 24: See rationale addressed in the rejection of Claim 16 above.

As per Claim 25: See rationale addressed in the rejection of Claim 26 above.

As per Claim 31: See rationale addressed in Claim 26.

As per Claim 32: regarding limitation,

A method as described in Claim 31 further comprising:

e) accessing parameter values that define the behavior of said user module such that it operates in a prescribed manner; (Bindra: See left section in Figure 4);

f) automatically generating second source code, based on said parameter values, for causing said user module of said hardware resource to behave in said prescribed manner (Bindra suggests (Figure 4 and its below illustration) "which are next mapped 'automatically generating' onto the SoCblocks on-chip 'hardware resource to behave in said prescribed manner'; and

g) saving said second source code in a computer file (Bindra: See Figure 4, icons in the top rows used to save a file).

As per Claim 33: Bindra further discloses, "A method as described in Claim 32 further comprising using said first and second source code to program said programmable electronic device" because it the collection in Figure 4 would be mapped to a real design.

As per Claim 34: Bindra further discloses, A method as described in Claim 33 wherein said programmable electronic device is a microcontroller. See Bindra's Figure 1.

As per Claim 35: Bindra further discloses, A method as described in Claim 31 wherein said a) and said e) are performed using a graphical user interface, because PSoC Designer is a GUI.

As per Claim 36: Bindra discloses claim 1 limitation, where Claim 1 has the functionality is corresponding to the functionality of claim 26. Therefore, see the rejection ol claim as in the rational given in the Claim 26.

With further limitation, in view of Hamblem, it further teaches claim 1 in the claim 26:

The method of Claim 1 wherein said automatically

constructing source code comprises: reading template files; substituting information specific to said user module, information specific to said function and information specific to a control parameter of said function for generic information in said template file to produce assembly, include and header files; compiling said assembly, include and header files to produce an executable file; downloading said executable file as a code block to a memory of said microcontroller; and executing said code block to configure said programmable block.

as in the Figure 11, it is obvious, because the claimed recitation conforms to or complies with basis process of C compiler when it generates assembly language; i.e. a C program has "include statements", or "header files"; therefore, every template created from the C compiler for an assembly program will include with "header files" such #include statement on its top. It is obvious because it is conforming to a C program → assembly program.

Conclusion

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ted T. Vo whose telephone number is (571) 272-3706. The examiner can normally be reached on 8:00AM to 4:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wei Y. Zhen can be reached on (571) 272-3708.

The facsimile number for the organization where this application or proceeding is assigned is the Central Facsimile number 571-273-8300.

Application/Control Number: 09/998,848 Page 14

Art Unit: 2191

Any inquiry of a general nature or relating to the status of this application should be directed to the TC 2100 Group receptionist: 571-272-2100. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

TTV February 15, 2008

/Ted T. Vo/ Primary Examiner, Art Unit 2191